

TITLE

SYSTEM

SCALE

WINDOW HEAD

VM ZINC® PLUS DEXTER PANEL

1:2 @ A4

LEGEND:

1. VM ZINC PLUS DEXTER Panel
2. Anti-abrasive building paper
3. 15mm Plywood
4. 20mm min Ventilation Gap
5. Insulation
6. Galvanised continuous cleat
7. VM ZINC PLUS flashing
8. Window


Building Products- VM ZINC
PO BOX 727 CROWS NEST
NSW 2065

www.v zinc.com.au
Tel: (61) 02 9955 4400
Fax: (61) 02 9955 1144


NOT A SHOP DRAWING

FOR ILLUSTRATION ONLY

While all technical information and suggestions herein are believed to be reliable and accurate, nothing stated herein is to be taken as a warranty, expressed or implied. Responsibility for review and validation remains solely with the design authority or other authority having jurisdiction.



A Umicore brand



TITLE

SYSTEM

SCALE

WINDOW JAMB

VM ZINC® PLUS DEXTER

1:2 @ A4

LEGEND:

1. VM ZINC PLUS DEXTER Panel
2. Anti-abrasive building paper
3. 15mm Plywood
4. 20mm MIN Ventilation Gap
5. VM ZINC PLUS Continuous cleat
6. VM ZINC PLUS Jamb flashing
7. Neutral Sealant


Building Products- VM ZINC
PO BOX 727 CROWS NEST
NSW 2065

www.v zinc.com.au
Tel: (61) 02 9955 4400
Fax: (61) 02 9955 1144


NOT A SHOP DRAWING

FOR ILLUSTRATION ONLY

While all technical information and suggestions herein are believed to be reliable and accurate, nothing stated herein is to be taken as a warranty, expressed or implied. Responsibility for review and validation remains solely with the design authority or other authority having jurisdiction.



A Umicore brand



TITLE

SYSTEM

SCALE

WINDOW SILL

VM ZINC® PLUS DEXTER PANEL

1:2 @ A4

LEGEND:

1. VM ZINC PLUS DEXTER
2. Anti-abrasive building Paper
3. 15mm plywood
4. Main structure (by others)
5. 20mm Ventilation Gap
6. Continuous galvanized steel stiffener
7. VM ZINC Continuous cleat
8. VM ZINC PLUS Flashing


Building Products- VM ZINC
PO BOX 727 CROWS NEST
NSW 2065

www.v zinc.com.au
Tel: (61) 02 9955 4400
Fax: (61) 02 9955 1144

NOT A SHOP DRAWING

FOR ILLUSTRATION ONLY

While all technical information and suggestions herein are believed to be reliable and accurate, nothing stated herein is to be taken as a warranty, expressed or implied. Responsibility for review and validation remains solely with the design authority or other authority having jurisdiction.



A Umicore brand